

Notice of Allowability**Application No.**

09/425,743

Examiner

Gary K Graham

Applicant(s)

VAES, ED

Art Unit

1744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 07 October 2003.
 2. ☒ The allowed claim(s) is/are 40,41,44-46 and 58-62.
 3. ☐ The drawings filed on _____ are accepted by the Examiner.
 4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
 - (a) ☐ The translation of the foreign language provisional application has been received.
 6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____.
 - (b) ☐ including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - (c) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____.


Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- 1 ☐ Notice of References Cited (PTO-892)
- 2 ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3 ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____
- 4 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material

- 5 ☐ Notice of Informal Patent Application (PTO-152)
- 6 ☐ Interview Summary (PTO-413), Paper No. _____
- 7 ☒ Examiner's Amendment/Comment
- 8 ☐ Examiner's Statement of Reasons for Allowance
- 9 ☐ Other


Gary K Graham
Primary Examiner
Art Unit: 1744

EXAMINER'S AMENDMENT

The specification is amended such that the same reference numeral "29" is not used for different structure. Reference numeral "29" is used to identify both the upper casing and the shoulder end (see page 8). Reference numeral "29" directed to the upper casing has been changed in the specification to ---31---. Applicant needs to correct the drawings (figure 6) accordingly. See the below amendments.

Also, the claims are amended such that consistent terminology is used in the independent claims. In particular, "transverse section" has been changed to ---transverse means---. See the below amendments.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Specification

In the specification, on page 8, line 8, change "29" to ---31---.

In the Claims

In claim 40, line 11, change "section" to ---means---.

In claim 41, line 12, change the first occurrence of "section" to ---means---.

In claim 58, line 13, change "section" to ---means---.

In claim 59, line 12, change the first occurrence of "section" to ---means---.

In the Drawings

The following changes to the drawings have been approved by the examiner: In figure 6, change the lower reference numeral "29" to ---31---. Such change is needed since there are two reference numerals "29" in figure 6 which are directed to different structure. The lower numeral "29" is directed to the upper casing, which has been given the numeral ---31--- in the specification (see above). In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.


Art Unit: 1744

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary K Graham whose telephone number is 703-308-1270.

Please note that the Examiner's telephone number will be changing on 17 December 2003 to 571-272-1274. The examiner can normally be reached on Tuesday to Friday (6:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Warden can be reached on 703-308-2920. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9310.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

A handwritten signature in black ink, appearing to read 'Gary K Graham', with a horizontal line drawn underneath it.

Gary K Graham
Primary Examiner
Art Unit 1744

GKG

11 December 2003